

Seed to Sale: N/A
Retail Batch#: N/A
Cultivar: N/A
Cultivation Facility: N/A
Processing Facility: N/A
Sampling: SOP 21

COMPLIANCE FOR RETAIL

Sample Name: King Kong Glue

Lab Sample ID: F404338-01
Retail Batch Total Wt/Vol: N/A
Retail Batch Date: N/A

Matrix: Inhalable Flower
Retail Batch Total Units: N/A
Total Wt, Vol or Unit Sampled: 1

Date Sampled: 04/24/2024
Date Received: 04/24/2024
Date Reported: 04/29/2024



Terpenes
Not Tested



Heavy Metals
Not Tested



Foreign Materials
Not Tested



Microbiology
Not Tested



Mycotoxins
Not Tested



Residual Solvents
Not Tested



Pesticides
Not Tested



Moisture Content
Pass



Water Activity
Not Tested



Total Cannabinoids	
29.2%	
Major Cannabinoids	
Total CBD	Total
0.040%	THCA
	28.8%
Minor Cannabinoids *	
delta-9-THC	CBCA
0.226%	0.222%

Potency as Received

* Most abundant

Cannabinoids


Date Prepared: 04/25/24 15:07 Prep ID: MC Specimen Prep: 0.2725 g / 10 mL
Date Analyzed: 04/25/24 23:16 Analyst ID: CW Instrument: HPLC
Lab Batch: B24D077 Prep/Analysis Method: ACCU LAB SOP15

Analyte	Dilution	LOQ	Results	
			%	mg/g
CBC	5	0.0183	ND	ND
CBCA	5	0.0183	0.222	2.22
CBD	5	0.0183	ND	ND
CBDA	5	0.0183	0.046	0.460
CBDV	5	0.0183	0.060	0.600
CBDVA	5	0.0183	ND	ND
CBG	5	0.0183	0.057	0.570
CBGA	5	0.0183	0.164	1.64
CBN	5	0.0183	ND	ND
delta-8-THC	5	0.0183	ND	ND
delta-9-THC	5	0.0183	0.226	2.26
THCA	50	0.183	28.8	288
THCV	5	0.0183	ND	ND
THCVA	5	0.0183	0.054	0.540

Definitions and Abbreviations used in this report:

Total CBD = CBD + (CBD-A * 0.877), Total THC = THCA-A * 0.877 + Delta 9 THC
LOQ = Limit of Quantitation, LOD = Limit of Detection, DIL = Dilution Factor, (ppb) = Parts per Billion, (%) = Percent, (cfu/g) = Colony Forming Unit per Gram, (µg/g) = Microgram per Gram, (ppm) = Parts per Million, (N/A) Not Analyzed, (ND) Non-Detect. Total Contaminant Load (TCL) - The sum of all Heavy Metals and Agricultural Agents present above the LOQ, but below the Acceptable Limit.

This report shall not be reproduced except in its entirety without the written approval of AccuScience Laboratories. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. This laboratory is accredited in accordance with International Standard ISO/IEC 17025.



PJLA
Testing
Accreditation#: 109150

Dr. Harry Behzadi, PhD.
President, CEO

